Google Scholar BETA

| model composition distributed | | 1995 | - | 2004 | Search | Ad Sc Sc |

Scholar All articles - Recent articles Results **1 - 10** of about **176,000** for **model composition distrib**

All Results

S Clarke

B Benatallah

G Karsai

M Dumas

A Ledeczi

Simulation, verification and automated **composition** of web services - all 21 versions »
S Narayanan, SA McIlraith - Proceedings of the eleventh international conference on ...,
2002 - portal.acm.org
... Web Services, Web Service **Composition, Distributed** Systems, Automated ... relevant to
our work on Web service **composition**. ... theory that constrains the **models** of the ...
Cited by 419 - Related Articles - Web Search

[PDF] Extending standard UML with **model composition** semantics - all 7 versions »
S Clarke - Science of Computer Programming, 2002 - cs.tcd.ie
... For example, a requirement for **distributed** objects has ... manner also requires
corresponding **composition** support, as ... The subject- oriented design **model** supports ...
Cited by 92 - Related Articles - View as HTML - Web Search

[BOOK] Objects, components, and frameworks with UML: the catalysis
approach - all 2 versions »
DF D'Souza, AC Wills - 1998 - Addison-Wesley Longman Publishing Co., Inc. Boston, MA,
USA
Cited by 1099 - Related Articles - Web Search

[PDF] Recursive and dynamic software **composition** with sharing - all 9 versions »
E Bruneton, T Coupaye, JB Stefani - Proceedings of the 7th ECOOP International Workshop
on ..., 2002 - www-lsr.imag.fr
... object, in the sense of object introduced in the Reference **Model** for Open **Distributed**
Processing [9, 10]. (2) **Composition**. A general system **model** should allow ...
Cited by 171 - Related Articles - View as HTML - Web Search

From Object **Composition** to **Model** Transformation with the MDA - all 11 versions »
J Bézivin - Proceedings of TOOLS, 2001 - doi.ieeecomputersociety.org
... paradigm by the more fashionable object **composition** paradigm ... and the OMA
distributed
programming framework ... is needed is a sound global **model**-engineering framework ...
Cited by 108 - Related Articles - Web Search

The programming **model** of ASSIST, an environment for parallel and
distributed portable applications - all 3 versions »
M Vanneschi - Parallel Computing, 2002 - Elsevier
... in_scalar, can be accepted and then **distributed** to the VPs. ... are the basic mechanism
for the **composition** and interfacing ... is the one of the CSP **model** [15] based ...
Cited by 111 - Related Articles - Web Search

Composing crosscutting concerns using **composition** filters - all 11 versions
»

L Bergmans, M Aksits - Communications of the ACM, 2001 - portal.acm.org
... oriented language-database integration **model**: The **composition** ... object-interactions
using **composition**-filters. ... Eds., Object-based **Distributed** Processing, Springer ...
Cited by 251 - Related Articles - Web Search

Reo: a channel-based coordination **model** for component **composition** - all 9 versions »

F ARBAB - Mathematical Structures in Computer Science, 2004 - journals.cambridge.org
... the primitive operations that allow **composition** of channels ... advantages over other
communication **models**, especially for ... systems that are **distributed**, mobile, and ...
Cited by 143 - Related Articles - Web Search - Library Search

Context, **composition** and heterogeneity: Using multilevel models in health research - all 4 versions »

C Duncan, K Jones, G Moon - Social Science & Medicine, 1998 - Elsevier
... breaking the assumption of an independently **distributed** error term ... are included in
an overall **model** to allow for the population **composition** of particular ...
Cited by 186 - Related Articles - Web Search

The next step in Web services - all 7 versions »

F Curbera, R Khalaf, N Mukhi, S Tai, S Weerawarana - Communications of the ACM, 2003 -
portal.acm.org
... The combined use of these three specifications allows the BPEL **composition model**
to be extended with **distributed** coordination capabilities. ...
Cited by 236 - Related Articles - Web Search

Goooooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

|model composition distributed | Search |

Google Home - About Google - About Google Scholar

©2008 Google

Google™
Scholar BETA

state model composition distributed managem |1995   - |2004   Search | Ad Sc Sc

Scholar   All articles - Recent articles Results 1 - 10 of about 22,700 for state model composition di

All Results

I Foster
D D'Souza
C Kesselman
J Nick
S Tuecke

Customization and **composition of distributed** objects: middleware abstractions for policy **management** - all 8 versions »
M Astley, GA Agha - Proceedings of the 6th ACM SIGSOFT international symposium ...,
1998 - portal.acm.org
... **Composition** operators are used to build connections between ... interactions may be used
to **model** standard **distributed** ... an actor encapsulates a **state**, a thread of ...
Cited by 45 - Related Articles - Web Search

Grid services for **distributed** system integration - all 47 versions »
I Foster, C Kesselman, JM Nick, S Tuecke - Computer, 2002 - ieeexplore.ieee.org
... resources within a VO based on **composition** from lower ... This important aspect of the
OGSA **model** provides the ... Grid services can maintain internal **state** for their ...
Cited by 876 - Related Articles - Web Search

An End-to-End QoS **Model** and **Management** Architecture - all 2 versions »
D Hull, A Shankar, K Nahrstedt, JWS Liu - ... Workshop on Middleware for **Distributed** Real-
time Systems ..., 1997 - citeseer.ist.psu.edu
... Li, Nahrstedt (1999) (Correct) Optimal **State** Prediction for ... 1994 84 A resource
allocation **model** of QoS ... Correct) QoS-Assured Service **Composition** in Managed ...
Cited by 63 - Related Articles - Cached - Web Search

The SAHARA **Model** for Service **Composition** across Multiple Providers - all 20 versions »
B Raman, S Agarwal, Y Chen, M Caesar, W Cui, P ... - ... Computing: First International
Conference, Pervasive 2002, ..., 2002 - books.google.com
... and server load using a link-**state** algorithm [4 ... Its three layer **model** of applications,
distributed ... that SAHARA adds elements of **composition** across heterogeneous ...
Cited by 56 - Related Articles - Web Search

Web service **composition** transaction **management** - all 8 versions »
B Limthanmaphon, Y Zhang - Proceedings of the fifteenth conference on Australasian ...,
2004 - portal.acm.org
... The **state** reflects what both sides know of their relationship. ... 175 Page 6. 4 Web
Service Tentative Hold and Compensation **Composition** Transaction **Model** ...
Cited by 27 - Related Articles - Web Search

Distributed supply chain simulation in a DEVS/CORBA execution environment - all 6 versions »
BP Zeigler, D Kim, SJ Buckley - Proceedings of the 31st conference on Winter simulation: ...,
1999 - portal.acm.org
... while the coupled **model** embodies DEVS hierarchical **model composition** constructs ...
Also,
internal events arising within the **model**, change its **state**, as well ...
Cited by 43 - Related Articles - Web Search

The Self-Serv environment for Web services **composition** - all 15 versions »

B Benatallah, QZ Sheng, M Dumas - Internet Computing, IEEE, 2003 - ieeexplore.ieee.org
... soft- ware components hosted by the providers partici- pating in the **composition**. ...
The two basic elements of this **model** are the **state** coordinator and ...
Cited by 253 - Related Articles - Web Search

Safe 'composability' of middleware services
N Venkatasubramanian - Communications of the ACM, 2002 - portal.acm.org
... A **state** broadcast mechanism is used to implement a ... developing middleware that allows
flexible **composition** of these ... is a lack of formal **models** for expressing ...
Cited by 45 - Related Articles - Web Search

[PDF] Recursive and dynamic software **composition** with sharing - all 9 versions »
E Bruneton, T Coupaye, JB Stefani - Proceedings of the 7th ECOOP International Workshop
on ..., 2002 - www-lsr.imag.fr
... and that any modification of the **state** of a ... system **model** should allow the dynamic
composition or assembly ... A general system **model** should support different forms ...
Cited by 171 - Related Articles - View as HTML - Web Search

[PDF] Don't go with the flow: Web services **composition** standards exposed - all 14 versions »
WMP van der Aalst - IEEE Intelligent Systems, 2003 - informatik.hu-berlin.de
... A web services **composition** language provides the means to specify such a process
model. ... The only **state** notion supported is the **state** in-between sending ...
Cited by 201 - Related Articles - View as HTML - Web Search

Gooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

| state model composition distributed   Search |

Google Home - About Google - About Google Scholar

©2008 Google

Google Scholar BETA

| state machine "input constraint" | 1995 | - | 2004 | Search | Ad Sc Sc |

Scholar   All articles - Recent articles Results **1 - 10** of about **266** for **state machine \"input constra**

All Results

S Hauck

M Garofalakis

R Rastogi

K Shim

A En-Nouaary

Timed test cases generation based on **state** characterization technique - all 8 versions »
A En-Nouaary, R Dssouli, F Khendek, A Elqortobi - 19th IEEE Real-Time Systems Symposium (RTSS'98), 1998 - doi.ieeecs.org
... In order to generate the timed test suite, the TIOA is first transformed into a Nondeterministic Timed Finite **State Machine** (NTFSM) with a given granu- larity. ...
Cited by 80 - Related Articles - Web Search

Asynchronous design methodologies: an overview - all 28 versions »
S Hauck - Proceedings of the IEEE, 1995 - ieeexplore.ieee.org
... 1. Example of a flow table (left), and the corresponding **state machine** (right). ... R ()
TT L Fig. 4. Hollaar's implementation of a sequential **state machine**. ...
Cited by 364 - Related Articles - Web Search - Library Search

HW/SW partitioning and code generation of embedded control applications on a reconfigurable ... - all 16 versions »
M Baleani, F Gennari, Y Jiang, Y Patel, RK Brayton ... - Proceedings of the tenth international symposium on Hardware ..., 2002 - portal.acm.org
... Due to the fine granularity of the finite **state machine** code, we adopted the ... For the selected architecture [7], the **input constraint** is 32 * 3 bits and the ...
Cited by 46 - Related Articles - Web Search

Deriving a Simulation Input Generator and a Coverage Metric From a Formal Specification - all 21 versions »
K Shimizu, DL Dill - Proc. 2002. Design Automation Conference, 39th DAC, 2002 - doi.ieeecomputersociety.org
... software uses a statically-built BDD which represents the entire **input constraint** logic; in ... the value of a signal (or the **state** of a **state machine**) a cycle ...
Cited by 35 - Related Articles - Web Search

SBSAT: a **State**-Based, BDD-Based Satisfiability Solver - all 3 versions »
J Franco, M Kouril, J Schlipf, J Ward, S Weaver, M ... - Theory and Applications of Satisfiability Testing: 6th ..., 2004 - books.google.com
... BDDs. The approach preprocesses the BDDs into **state machines** to allow for fast inferences based upon any single **input constraint**. It ...
Cited by 17 - Related Articles - Web Search

[PDF] Verity-a formal verification program for custom CMOS circuits - all 9 versions »
A Kuehlmann, A Srinivasan, DP LaPotin - IBM Journal of Research and Development, 1995 - cadence.com
... B . In other words, if the **machines** start from ... a verification model in which corresponding **state** registers are ... The **input constraint** describes the care-set for ...
Cited by 81 - Related Articles - View as HTML - Web Search - Library Search

A formal approach to reactive system design: unmanned aerialvehicle flight management system design ... - all 5 versions »

TJ Koo, B Sinopoli, A Sangiovanni-Vincentelli, S ... - Computer Aided Control System
Design, 1999. Proceedings of ..., 1999 - ieeexplore.ieee.org
... The FMS can be modeled by a hierarchical finite **state machine**. ... Hence, any vio- lation
in the **state** and **input constraint** can be detected and a new ...
Cited by 17 - Related Articles - Web Search

Timed Wp-method: testing real-time systems - all 6 versions »
A En-Nouaary, R Dssouli, F Khendek - Software Engineering, IEEE Transactions on, 2002 -
ieeexplore.ieee.org
... This leads to a reduction of the region graph into a Grid Automaton, which is then
transformed into a Nondeterministic Timed Finite **State Machine** (NTFSM). ...
Cited by 41 - Related Articles - Web Search

Default timed concurrent constraint programming - all 9 versions »
VA Saraswat, R Jagadeesan, V Gupta - Proceedings of the 22nd ACM SIGPLAN-SIGACT
symposium on ..., 1995 - portal.acm.org
... on "signals" can be compiled into finite **state** automata with simple transitions. ...
(send messages to the outside world) and revises its internal **state**. ...
Cited by 40 - Related Articles - Web Search

[PDF] SPIRIT: Sequential Pattern Mining with Regular Expression Constraints - all 24 versions »
MN Garofalakis, R Rastogi, K Shim - Proceedings of the 25th International Conference on
Very ..., 1999 - acm.org
... In- formally, a deterministic finite automaton is a finite **state machine**
with (a) a well-defined start **state** (denoted by □) and ...
Cited by 226 - Related Articles - View as HTML - Web Search

Gooooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

```
state machine  "input constraint"          Search
```

Google Home - About Google - About Google Scholar

Google Scholar BETA

[state machine workflow management "input cc] [1995] - [2004]   Search | Ad Sc Sc

Scholar   Results **1 - 4** of **4** for **state** **machine** **workflow** **management** \"**input constraint**\". (**0.10** seconds)

All Results

B Limthanmapho...
Y Zhang
A PRESLEY

Tip: Try removing quotes from your search to get more results.

Web service composition transaction **management** - all 8 versions »
B Limthanmaphon, Y Zhang - Proceedings of the fifteenth conference on Australasian
..., 2004 - portal.acm.org
... are likely to be using incompatible transaction **management** implementations ...
Provide
a foundation for **workflow**. ... We present figure 3, a **state machine** diagram that ...
Cited by 27 - Related Articles - Web Search

[BOOK] Inputs and Outputs in the Process Specification Language - all 2 versions »
C Bock, M Gruninger, National Institute of ... - 2004 - mel.nist.gov
... production planning, simulation, project **management**, **workflow**, and business ...
Expression
12: Input and Output **State** Uniqueness 9 ... on the milling **machine** or takes ...
Cited by 2 - Related Articles - View as HTML - Web Search - Library Search

[PDF] A REPRESENTATION METHOD TO SUPPORT ENTERPRISE ENGINEERING
AR PRESLEY - 1997 - arri.uta.edu
... 143 4-4. **Machine** Entity ... 4-13. Example of Complex **State** Transition Schematic ...
capabilities.
The **workflow** approach [17; 40] uses this technology enabled process ...
Cited by 14 - Related Articles - View as HTML - Web Search - Library Search

Model composition in a distributed environment - all 4 versions »
K Chari - Decision Support Systems, 2003 - Elsevier
... Author Keywords: DSS; Model **management**; Model composition; Model integration;
Distributed systems. ... as FL or a generic scope value such as **State** that represents ...
Cited by 4 - Related Articles - Web Search

[state machine workflow managemer]   Search |

Google Home - About Google - About Google Scholar

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	859	(state or fsm or fsa) and (transition or arc or path) and (workflow or task$3 or "work flow" or job) and (generat$3 near5 instruction) and (add$5 or delet$3 or redirect$3 or direct$3 or alter$5 or modify$3 or modification or edit$3) and (restrain$3 or constraint or constrain$3 or restrict$3 or enforc$4 or authoriz$5 or compliance or allowable) near5 (input$4 or entry or entries or use) and (event or transition or handl$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 15:13
L2	850	(defin$3 or creat$3 or produc$3 or generat$3 or configur$3 or design$3 or manag$3 or output$4 or specify$3 or specification) same (state or fsm or fsa) and (transition or arc or path) same (workflow or task$3 or "work flow" or job or process) and ((defin$3 or creat$3 or produc$3 or generat$3 or configur$3 or design$3 or manag$3 or output$4 or specify$3 or specification) near5 instruction) same (add$5 or delet$3 or redirect$3 or direct$3 or alter$5 or modify$3 or modification or edit$3) and (restrain$3 or constraint or constrain$3 or restrict$3 or enforc$4 or authoriz$5 or compliance or allowable) near5 (input$4 or entry or entries or use) and (event or transition or handl$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 15:20

| L3 | 71 | (defin$3 or creat$3 or produc$3 or generat$3 or configur$3 or design$3 or manag$3 or output$4 or specify$3 or specification) near5 (state or fsm or fsa) same (event or transition or handl$3) and (transition or arc or path) near5 (workflow or task$3 or "work flow" or job or process) and ((defin$3 or creat$3 or produc$3 or generat$3 or configur$3 or design$3 or manag$3 or output$4 or specify$3 or specification) near5 instruction) same (add$5 or delet$3 or redirect$3 or direct$3 or alter$5 or modify$3 or modification or edit$3) and (restrain$3 or constraint or constrain$3 or restrict$3 or enforc$4 or authoriz$5 or compliance or allowable) near3 (personnel or employee or user or manager or engineer or worker) same (input$4 or entry or entries or use) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 15:24 |
| L4 | 0 | (defin$3 or creat$3 or produc$3 or generat$3 or configur$3 or design$3 or manag$3 or output$4 or specify$3 or specification) near5 (state or fsm or fsa) same (event or transition or handl$3) and (transition or arc or path) near5 (workflow or task$3 or "work flow" or job or process) and ((defin$3 or creat$3 or produc$3 or generat$3 or configur$3 or design$3 or manag$3 or output$4 or specify$3 or specification) near5 instruction) same (add$5 or delet$3 or redirect$3 or direct$3 or alter$5 or modify$3 or modification or edit$3) and (restrain$3 or constraint or constrain$3 or restrict$3 or enforc$4 or authoriz$5 or compliance or allowable) near3 (personnel or employee or user or manager or engineer or worker) same (input$4 or entry or entries or use) near5 (console or terminal or display or monitor) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 15:32 |

EAST Search History

L5	15	(defin$3 or creat$3 or produc$3 or generat$3 or configur$3 or design$3 or manag$3 or output$4 or specify$3 or specification) near5 (state or fsm or fsa) and (event or transition or handl$3) same (transition or arc or path) near5 (workflow or task$3 or "work flow" or job or process) and ((defin$3 or creat$3 or produc$3 or generat$3 or configur$3 or design$3 or manag$3 or output$4 or specify$3 or specification) near5 instruction) same (add$5 or delet$3 or redirect$3 or direct$3 or alter$5 or modify$3 or modification or edit$3) and (restrain$3 or constraint or constrain$3 or restrict$3 or enforc$4 or authoriz$5 or compliance or allowable) near3 (personnel or employee or user or manager or engineer or worker) same (input$4 or entry or entries or use) same (console or terminal or display or monitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 15:40
L6	3	state near5 model same composition same distributed and (management or workflow or work or process or task)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 16:09
L7	22	717/106.ccls. and (defin$3 or creat$3 or produc$3 or generat$3 or configur$3 or design$3 or manag$3 or output$4 or specify$3 or specification) near5 (state or fsm or fsa) and (event or transition or handl$3) and (transition or arc or path) near5 (workflow or task$3 or "work flow" or job or process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 16:04
L8	45	717/104.ccls. and (defin$3 or creat$3 or produc$3 or generat$3 or configur$3 or design$3 or manag$3 or output$4 or specify$3 or specification) near5 (state or fsm or fsa) and (event or transition or handl$3) and (transition or arc or path) near5 (workflow or task$3 or "work flow" or job or process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 16:24

EAST Search History

L9	123	(fsa or fsm or state) same (machine or model or transition) same composition same distributed and (role or personnel or worker or user or manager or management or workflow or work or process or task)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 16:19
L10	5	717/???.ccls. and (fsa or fsm or state) same (machine or model or transition) same composition same distributed and (role or personnel or worker or user or manager or management or workflow or work or process or task)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 16:14
L11	28	717/124.ccls. and (defin$3 or creat$3 or produc$3 or generat$3 or configur$3 or design$3 or manag$3 or output$4 or specify$3 or specification) near5 (state or fsm or fsa) and (event or transition or handl$3) and (transition or arc or path) near5 (workflow or task$3 or "work flow" or job or process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 16:30
S1	611	717/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/10 17:29
S2	354	717/101.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/10 17:29
S3	147	717/102.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/10 17:29
S4	545	717/106.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/10 17:29
S7	17	(S1 S2 S3 S4) and ((state or fsm or fsa) and (transition$3 or arc or path)) and (flowchart or workflow or task$3) and (generat$3 near5 instruction) and (add$5 or delet$3 or redirect$3 or direct$3 or alter$5 or repeat$3 or return$3) and input$4 and event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/10 17:40

S10	165	(state or fsm or fsa) same (transition$3 or arc or path) same (workflow) and (add$5 or delet$3 or redirect$3 or direct$3 or alter$5 or repeat$3 or return$3 or edit$3 or modify$3 or modification) and input$4 and event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/10 17:43
S11	0	debug$4 and ((state or fsm or fsa) and (transition$3 or arc or path)) and (flowchart or workflow or task$3 or process) and (generat$3 near5 instruction) and (add$5 or delet$3 or redirect$3 or direct$3 or alter$5 or repeat$3 or return$3 or messag$3) and output$4 and input$4 and event and (terminat$3 or complet$3 or end$3 or finish$3) and (first or initial$2 or second or third or fourth or plurality or multiple) near3 (transition$3 or arc or path or cycl$3) and (debug$4 near3 (request near3 form))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 16:37
S12	42	debug$4 and ((state or fsm or fsa) and (transition$3 or arc or path)) and (flowchart or workflow or task$3 or process) and (generat$3 near5 instruction) and (add$5 or delet$3 or redirect$3 or direct$3 or alter$5 or repeat$3 or return$3 or messag$3) and output$4 and input$4 and event and (terminat$3 or complet$3 or end$3 or finish$3) and (first or initial$2 or second or third or fourth or plurality or multiple) near3 (transition$3 or arc or path or cycl$3) and (debug$4 near3 request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 16:48
S13	2	"20050120280"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 16:51

S14	.158	debug$4 and ((state or fsm or fsa) and (transition$3 or arc or path)) and (flowchart or workflow or task$3 or process) and (generat$3 near5 instruction) and (add$5 or delet$3 or redirect$3 or direct$3 or alter$5 or repeat$3 or return$3 or messag$3) and output$4 and input$4 and event and (terminat$3 or complet$3 or end$3 or finish$3) and (first or initial$2 or second or third or fourth or plurality or multiple) near3 (transition$3 or arc or path or cycl$3) and (generat$3 or creat$3 or develop$4) near3 (instruction and path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 16:52
S15	410	debug$4 and ((state or fsm or fsa) and (transition$3 or arc or path)) and (flowchart or workflow or task$3 or process) and (generat$3 near5 instruction) and (add$5 or delet$3 or redirect$3 or direct$3 or alter$5 or repeat$3 or return$3 or messag$3) and output$4 and input$4 and event and (terminat$3 or complet$3 or end$3 or finish$3) and (first or initial$2 or second or third or fourth or plurality or multiple) near3 (transition$3 or arc or path or cycl$3) and (generat$3 or creat$3 or develop$4) same (instruction and path) and (set$4 or configur$5) near3 state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 17:06
S16	339	debug$4 and ((state or fsm or fsa) and (transition$3 or arc or path)) and (flowchart or workflow or task$3 or process) and (generat$3 near5 instruction) and (add$5 or delet$3 or redirect$3 or direct$3 or alter$5 or repeat$3 or return$3 or messag$3) and output$4 and input$4 and event and (terminat$3 or complet$3 or end$3 or finish$3) and (third or fourth or plurality or multiple) near3 (transition$3 or arc or path or cycl$3) and (generat$3 or creat$3 or develop$4) same (instruction and path) and (set$4 or configur$5) near3 state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 17:07

S17	373	debug$4 and ((state or fsm or fsa) and (transition$3 or arc or path)) and (flowchart or workflow or task$3 or process) and (generat$3 near5 instruction) and (add$5 or delet$3 or redirect$3 or direct$3 or alter$5 or repeat$3 or return$3 or messag$3) and output$4 and input$4 and event and (terminat$3 or complet$3 or end$3 or finish$3) and (third or fourth or plurality or multiple or additional or subsequent) near3 (transition$3 or arc or path or cycl$3) and (generat$3 or creat$3 or develop$4) same (instruction and path) and (set$4 or configur$5) near3 state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/04 17:06
S18	2	"6279009".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 15:04
S19	1356	state same (input$4 or messag$3 or instruction) same (plurality or multiple or "more than one" or "more than two") near5 (terminal or gui or ui or console)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 15:07
S20	17	state same (input$4 or messag$3 or instruction) same (plurality or multiple or "more than one" or "more than two") near5 (terminal or gui or ui or console) and (dynamic$4 or rearrang$4 or adjust$4) near3 (transition or path or workflow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 15:11
S21	13	state same (input$4 or messag$3 or instruction) same (plurality or multiple or "more than one" or "more than two") near5 (terminal or gui or ui or console) and (reset$4 or reconfigur$5 or reconstruct$3) near3 (transition or path or workflow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/06 15:12
S22	828	(cooperating or linked or inter or associated or nested) near5 (state or fsm or fsa) and (transition or arc or path) and (workflow or task$3) and (generat$3 near5 instruction) and (add$3 or addition or delet$3 or redirect$3 or direct$3 or alter$3 or alteration) and input$4 and event	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 07:49

EAST Search History

S23	676	(cooperating or linked or inter or associated or nested) near3 (state or fsm or fsa) and (transition or arc or path) and (workflow or task$3) and (generat$3 near5 instruction) and (add$3 or addition or delet$3 or redirect$3 or direct$3 or alter$3 or alteration) and input$4 and event	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 07:49
S24	31	(717/10?.ccls. or 705/???.ccls. or 719/???.ccls.) and (cooperating or linked or inter or associated or nested) near3 (state or fsm or fsa) and (transition or arc or path) and (workflow or task$3) and (generat$3 near5 instruction) and (add$3 or addition or delet$3 or redirect$3 or direct$3 or alter$3 or alteration) and input$4 and event	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 07:50
S25	6	"20050114854" or ("6009455" "7219260").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 09:05